



JUNE 2024 INTROS



PEBBLE

As if naturally formed from the ebbing shores of a riverbed, smooth and irregularly shaped crystal pebbles are suspended by cast metal clasps in a Polished Gold finish. Discreetly illuminated by concealed LED light sources within the clasps, additional downlight originates from LED GU10 lamps housed in a Matte Black canopy adding to the refracting iridescent shimmer on the crystal surface below. Available in multiple configurations of pendants as well as sconce options.





PEBBLE


- Smooth, irregularly shaped Clear crystal
- Cast metal clasps in Polished Gold finish
- Matte Black Canopy
- LED Integrated, 4000K Color Temperature
- Additional LED GU10 lamps included
- Dimmable with ELV and Triac dimmers



E11079-122BKPG
Pendant
A



E11071-122BKPG
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS	Additional Information		
					CRI	INIT.	DEL.	
A	E11079	122BKPG	(18) 2W LED 4000K + (4) 7W LED GU10 3000K	21.75"L x 21.75"W x 4.75"H, 185" OAH	85+	3330	3050	
B	E11071	122BKPG	2W PCB LED 4000K (Inte.)	3"L x 1.5"W x 4.75"H, 125" OAH	85+	610	570	

Finish: Clear Crystal (122) Black/Polished Gold (BKPG)

PEBBLE

- Smooth, irregularly shaped Clear crystal
- Cast metal clasps in Polished Gold finish
- Matte Black Canopy
- LED Integrated, 4000K Color Temperature
- Additional LED GU10 lamps included
- Dimmable with ELV and Triac dimmers




E11073-122BKPG
Pendant







A



E11078-122BKPG
Pendant

B




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E11073	122BKPG	(3) 2W LED 4000K + (1) 7W LED GU10 3000K	8" L x 8" W x 4.75" H, 125" OAH	85+	690	650	  
B	E11078	122BKPG	(12) 2W LED 4000K + (3) 7W LED GU10 3000K	15.75" L x 15.75" W x 4.75" H, 125" OAH	85+	2370	2250	  

Finish: Clear Crystal (122) Black/Polished Gold (BKPG)



E11076-122BKPG
Pendant

C




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
C E11076	122BKPG	41W PCB LED 4000K (Inte.)	35.5"L x 9.5"W x 4.75"H, 125"OAH	85+	1250	1150	LED DIM I

Finish: Clear Crystal (122) Black/Polished Gold (BKPG)

ELYSIAN

Segments of Clear glass cylinders are separated by distinctly rippled Clear crystal fonts on a thin Natural Aged Brass frame. The translucent segments are backlit with integrated LED illumination creating an airy, ethereal composition of glass textures. Available in vertical and horizontal configurations as well as sconce and portable configurations.





ELYSIAN


- Clear Crystal bands in distinctive rippled texture
- Clear glass cylinders
- Pendants can be mounted vertically or horizontally
- Floor Lamp with Step down dimming switch
- Floor Lamp with Step down dimming switch
- Pendants are 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming



E11083-124NAB
Pendant
A



E11084-124NAB
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E11083	124NAB	28W PCB LED 3000K (Inte.)	41.5"L x 5.5"W x 5.5"H, 120" OAH	90+	2300	1610	LED DIM ↑
B	E11084	124NAB	35W PCB LED 3000K (Inte.)	58.25"L x 5.5"W x 5.5"H, 120" OAH	90+	2800	1960	LED DIM ↑

Finish: Ripple glass (124) Natural Aged Brass (NAB)



ELYSIAN

- Clear Crystal bands in distinctive rippled texture
- Clear glass cylinders
- Pendants can be mounted vertically or horizontally
- Floor Lamp with Step down dimming switch
- Floor Lamp with Step down dimming switch
- Pendants are 120-277V Range Voltage Input
- 3-in-1 universal dimming:
Triac/ELV at 120V or 0-10V dimming



E11080-124NAB

Wall Mount



E11082-124NAB


Pendant

C



E11081-124NAB

Pendant



ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS			Additional Information	
					CRI	INIT.	DEL.		
A	E11081	124NAB	12W PCB LED 3000K (Inte.)	5.5"L x 5.5"W x 3.5"H, 50.25" OAH		90+	990	690	LED 3000K DALI
B	E11080	124NAB	8W PCB LED 3000K (Inte.)	5.5"W x 11.75"H x 6.75" Ext.	6"	90+	640	450	LED 3000K DALI
C	E11082	124NAB	18W PCB LED 3000K (Inte.)	5.5"L x 5.5"W x 20.75"H, 67.25" OAH		90+	1500	1050	LED 3000K DALI


Finish: Ripple glass (124) Natural Aged Brass (NAB)






E11089-124NAB
Flush Mount

D




E11087-124NAB
Table Lamp

E



E11088-124NAB
Floor Lamp

F



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
D	E11089	124NAB	10W PCB LED 3000K (Inte.)	5.5"L x 5.5"W x 4.5"H	90+	800	560	LED 3000K 10W
E	E11087	124NAB	8W PCB LED 3000K (Inte.)	7.75"L x 5.5"W x 22"H	90+	640	450	LED 3000K 8W
F	E11088	124NAB	35W PCB LED 3000K (Inte.)	15"L x 15"W x 69"H	90+	2800	1960	LED 3000K 35W

Finish: Ripple glass (124) Natural Aged Brass (NAB)



TARTAN

Inspired by patterned fabrics of the Scottish Highlands, the Tartan collection features a waving grid-like design etched deep into the transparent acrylic body. Hand-formed into a curling structure, the material gives the impression of billowing in the breeze. Color temperature selection at the canopy allows you to choose from Warm, Neutral, and Cool White colored LED lighting.




TARTAN

- Hand-formed acrylic in grid pattern
- LED Integrated, CCT Select:
Warm-Neutral-Cool
(~3000K – 3500K – 4000K)
- 120-277V Range Voltage Input
- 3-in-1 universal dimming:
Triac/ELV at 120V or 0-10V dimming



E24816-82BCN, -82PC
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24816	82BCN, 82PC	38W PCB LED 3000-4000K (Inte.)	29.5"L x 23.5"W x 10.5"H, 130"OAH	90+	3040	1900	

Finish Options: Heavy Faceted glass (82) Brushed Champagne (BCN) Polished Chrome (PC)




TARTAN

- Hand-formed acrylic in grid pattern
- LED Integrated, CCT Select: Warm-Neutral-Cool (~3000K – 3500K – 4000K)
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming




E24811-82BCN, -82PC
Wall Mount

A



E24814-82BCN, -82PC
Pendant

B



ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24811 82BCN, 82PC	13W PCB LED 3000-4000K (Inte.)	15"W x 13"H x 10"Ext.	3"	90+	1040	650	
B	E24814 82BCN, 82PC	24W PCB LED 3000-4000K (Inte.)	32"L x 18"W x 10.5"H, 130"OAH		90+	1920	1200	


Finish Options: Heavy Faceted glass (82) Brushed Champagne (BCN) Polished Chrome (PC)






E24812-82BCN, -82PC
Pendant

C



E24810-82BCN, -82PC
Flush Mount

D



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
C	E24812 82BCN, 82PC	14W PCB LED 3000-4000K (Inte.)	16"L x 10"W x 10.5"H, 130"OAH	90+	1120	700	
D	E24810 82BCN, 82PC	12W PCB LED 3000-4000K (Inte.)	16"L x 10"W x 12"H	90+	960	600	

Finish Options: Heavy Faceted glass (82) Brushed Champagne (BCN) Polished Chrome (PC)



UNITY

Abstract shapes of stainless steel are finished in Brushed Champagne or Black Chrome and intersect to create an intriguing sculpture of light. Unity provides both art and illumination for those searching for a unique lighting piece.





UNITY

- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming



E24613-BC, -BCN
Wall Mount







A



E24617-BC, -BCN
Pendant

B




ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS		Additional Information	
					CRI	INIT. DEL.		
A	E24613 BC, BCN	32W PCB LED 3000K (Integrated)	8"W x 27.25"H x 10.5"Ext.	10.25"	90+	2560	1440	  
B	E24617 BC, BCN	60W PCB LED 3000K (Integrated)	14"L x 12.5"W x 63"H, 183"OAH		90+	4800	2700	  

Finish Options: Black Chrome (BC) Brushed Champagne (BCN)


UNITY




- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming



E24618-BC, -BCN
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A	E24618 BC, BCN	64W PCB LED 3000K (Integrated)	69"L x 11.75"W x 15.25"H, 135"OAH	90+	6000	3200	  


Finish Options: Black Chrome (BC) Brushed Champagne (BCN)









E24616-BC, -BCN
Pendant

B



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
B E24616	BC, BCN	50W PCB LED 3000K (Integrated)	55"L x 16.5"W x 12"H, 131.75"OAH	90+	4800	2500	  

Finish Options: Black Chrome (BC) Brushed Champagne (BCN)



MANTA

An undulating shape softly curls along its center to create an organic form constructed of a single panel of transparent acrylic. Further enhancing the form is the captivating effect of the frosted band around the borders and the patterned etching on the acrylic that captures the light. A coordinating wall sconce that features the same curled acrylic material and extends only 4 inches from the wall for ADA compliant applications.




MANTA

- Hand formed transparent acrylic with unique pattern
- Available in plated Gold or Matte Black
- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming



E24718-144BK, -144GLD
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24718	144BK, 144GLD	65W PCB LED 3000K (Inte.)	70.75"L x 9.75"W x 8.5"H, 120" OAH	90+	5200	3460	

Finish Options: Clear Ribbed glass (144) Black (BK) Gold (GLD)


MANTA

- Hand formed transparent acrylic with unique pattern
- Available in plated Gold or Matte Black
- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming



E24716-144BK, -144GLD
Pendant

A




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24716	144BK, 144GLD	56W PCB LED 3000K (Inte.)	59"L x 9.75"W x 8.5"H, 120" OAH	90+	4480	2770	

Finish Options: Clear Ribbed glass (144) Black (BK) Gold (GLD)






E24711-144BK, -144GLD
Wall Mount




E24714-144BK, -144GLD
Pendant

C



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
				HCO	CRI	INIT. DEL.		
B	E24711 144BK, 144GLD	12W PCB LED 3000K (Inte.)	4.75"W x 16.5"H x 4"Ext.	8.25"	90+	960	750	
C	E24714 144BK, 144GLD	44W PCB LED 3000K (Inte.)	47"L x 9.75"W x 8.5"H, 120" OAH		90+	3080	2300	

Finish Options: Clear Ribbed glass (144) Black (BK) Gold (GLD)





VANISH

A disappearing act of LED along an extended length of crystal-clear acrylic, these pendants vanish from view and simultaneously guide the slim, streamlined LED light source. Twist the machined aluminum ends finished in Gunmetal or Brushed Aluminum to direct the light wherever you choose.



VANISH

- Crystal-clear acrylic
- Available in Polished Gunmetal or Brushed Aluminum
- LED Integrated, Neutral 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming





E24837-75AL, -75GM
Pendant

A




E24833-75AL, -75GM
Pendant

B



E24835-75AL, -75GM
Pendant

C




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A	E24837 75AL, 75GM	24W PCB LED 3000K (Inte.)	72"L x 2"W x 2"H, 124"OAH	85+	1920	1850	LED 3000K
B	E24833 75AL, 75GM	12W PCB LED 3000K (Inte.)	36"L x 2"W x 2"H, 124"OAH	85+	960	900	LED 3000K
C	E24835 75AL, 75GM	18W PCB LED 3000K (Inte.)	52"L x 2"W x 2"H, 124"OAH	85+	1440	1350	LED 3000K

Finish Options: Clear Acrylic (75) Aluminum (AL) Gunmetal (GM)




SONATA

Composed of gently curving aluminum channels in Matte Black that support a patterned translucent acrylic arranged in groups of vertical stripes, this series of pendants and coordinating ADA sconce express a musical quality in brilliant LED light. The wall sconce visibly suggests the shape of a piano, while the pendants return inward where they bend at the ends in an instrumental, elegant shape. A story told in simple forms, the collection is illuminated by dedicated LED light sources concealed within the frames enhancing the translucent undulating slabs of patterned acrylic. Their sculptural form is sure to add wonder to both classical and modern settings.



SONATA

- Vertically striped translucent acrylic panes are bent by hand
- Stark contrasting Matte Black aluminum frame
- Integrated LED in a Neutral White 3000K color temperature
- ADA compliant wall sconce
- Dimmable with Electronic Low Voltage Dimmer switches
- Configurations include Pendants, Wall Sconce, and Flush Mounts



E24776-133BK
Pendant

A

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS CRI INIT. DEL.	Additional Information
A	E24776	133BK	86W PCB LED 3000K (Inte.)	39.25"L x 32.25"W x 31.5"H, 120"OAH	90+ 6880 2900	LED DIM ⓘ

Finish: Patterned Acrylic (133) Black (BK)





SONATA

- Vertically striped translucent acrylic panes are bent by hand
- Stark contrasting Matte Black aluminum frame
- Integrated LED in a Neutral White 3000K color temperature
- ADA compliant wall sconce
- Dimmable with Electronic Low Voltage Dimmer switches
- Configurations include Pendants, Wall Sconce, and Flush Mounts



E24771-133BK
Pendant



E24775-133BK
Pendant

B


ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
				CRI	INIT.	DEL.		
A	E24771	133BK	24W PCB LED 3000K (Inte.)	14"L x 12.75"W x 6.75"H, 128.5" OAH	80+	1200	760	LED
B	E24775	133BK	42W PCB LED 3000K (Inte.)	59"L x 17"W x 6"H, 126" OAH	90+	2940	1420	LED

Finish: Patterned Acrylic (133) Black (BK)




E24779-133BK
Flush Mount

C



E24774-133BK
Pendant

D




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
				CRI	INIT.	DEL.		
C	E24779	133BK	35W PCB LED 3000K (Inte.)	19.75"L x 19.75"W x 7"H	90+	2450	1320	
D	E24774	133BK	54W PCB LED 3000K (Inte.)	47.25"L x 10"W x 7"H, 128.5" OAH	80+	2700	1250	

Finish: Patterned Acrylic (133) Black (BK)

E25073-18BK, -18NAB

Pendant


A



GLOBAL

An airy configuration of Clear blown glass globe shades in various sizes suspend on thin low voltage wires. Thin tubes finished in Black or Gold descend into the center of the globes where a small G4 LED lamp provides a spark of light.

- Clear Glass Globes
- Available in Matte Black or Gold
- 12V low-voltage LED G4 lamps included
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming




E25071-18BK, -18NAB
Pendant

B



E25079-18BK, -18NAB
Pendant

C



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A	E25073 18BK, 18NAB	3 x 1.8W G4 LED 3000K (Incl.)	11.5"L x 11.5"W x 8"H, 141.75"OAH	90+	540	520	LED G4A
B	E25071 18BK, 18NAB	1 x 1.8W G4 LED 3000K (Incl.)	7"L x 7"W x 8"H, 130"OAH	90+	180	170	LED G4A
C	E25079 18BK, 18NAB	10 x 1.8W G4 LED 3000K (Incl.)	41.75"L x 15.5"W x 8"H, 137"OAH	90+	1800	1700	LED G4A


Finish: Clear glass (18) Black (BK) Natural Aged Brass (NAB)







E25068-92BKGLD
Pendant

A



SOJI

Inspired by Japanese lanterns, this soft contemporary collection features Satin White glass shades of various shapes and sizes mounted on metal frames finished in a dramatic two-tone Gold with Black accents.




- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming



E25168-92BKGLD
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25068	92BKGLD	34W PCB LED 3000K (Integrated)	39.5" L x 6" W x 6" H, 125" OAH	80+	1890	1570	LED DIM ⓘ
B	E25168	92BKGLD	60W PCB LED 3000K (Integrated)	60" L x 8.75" W x 8.75" H, 128.75" OAH	90+	4200	3000	LED DIM ⓘ

Finish: Satin White glass (92) Black/Gold (BKGLD)

SOJI


- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming



E25069-92BKGLD

Pendant

A




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E25069	92BKGLD	55W PCB LED 3000K (Integrated)	15.75"L x 15.75"W x 27.5"H, 150" OAH	80+	3200	2230	  

Finish: Satin White glass (92) Black/Gold (BKGLD)






E25067-92BKGLD
Pendant



E25066-92BKGLD
Pendant






	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E25067	92BKGLD	13W PCB LED 3000K (Inte.)	6"L x 6"W x 17.25"H, 140"OAH	80+	1040	930	LED DIM ①
C	E25066	92BKGLD	10W PCB LED 3000K (Inte.)	4.75"L x 4.75"W x 13"H, 135"OAH	80+	960	760	LED DIM ①

Finish: Satin White glass (92) Black/Gold (BKGLD)

SOJI

- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25063	92BKGLD	2 x 4W G9 LED 3000K (Incl.)	7"L x 7"W x 8.75"H, 131" OAH	80+	960	760	
B	E25064	92BKGLD	2 x 4W G9 LED 3000K (Incl.)	7"L x 7"W x 10.75"H, 133" OAH	80+	960	760	
C	E25065	92BKGLD	2 x 4W G9 LED 3000K (Incl.)	9"L x 9"W x 7.5"H, 131" OAH	80+	960	760	

Finish: Satin White glass (92) Black/Gold (BKGLD)






E25061-92BKGLD

Wall Mount


D



E25062-92BKGLD

Wall Mount


E



E25060-92BKGLD

Wall Mount


F



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS			Additional Information
						CRI	INIT.	DEL.	
D	E25061	92BKGLD	1 x 4W G9 LED 3000K (Incl.)	4.75" W x 10.25" H x 9" Ext.	4.5"	80+	480	380	
E	E25062	92BKGLD	1 x 4W G9 LED 3000K (Incl.)	6" W x 9.25" H x 10" Ext.	5"	80+	480	380	
F	E25060	92BKGLD	1 x 4W G9 LED 3000K (Incl.)	4.75" W x 9.25" H x 9" Ext.	4.5"	80+	480	380	

Finish: Satin White glass (92) Black/Gold (BKGLD)

E11051-01TVGLD
Mini Pendant



TRAVERTINE

The use of this stone has been central to the building blocks of our history. Reimagined in modern context, columns of Travertine are assembled alongside LED tubes in an attractive, minimalist composition. The perfect neutral for a space that is searching for more organic elements, the LED light source is evenly diffused withing Matte White acrylic with Gold-plated accents. Available as a sconce and in multiple configurations of pendants.




TRAVERTINE


- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming




E11053-01TVGLD
Pendant



E11050-01TVGLD
Wall Mount



E11056-01TVGLD
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS		Additional Information	
					CRI	INIT. DEL.		
A	E11051 01TVGLD	2 x 5.5W PCB LED 3000K (Inte.)	2.5"L x 2.5"W x 15"H, 137" OAH		90+	1000	900	LED DIM ↑
B	E11053 01TVGLD	3 x 18W PCB LED 3000K (Inte.)	7.75"L x 7.75"W x 29.75"H, 73" OAH		90+	3780	2700	LED DIM ↑
C	E11050 01TVGLD	2 x 4.5W PCB LED 3000K (Inte.)	5.5"W x 12.75"H x 4" Ext.	2"	90+	810	630	LED DIM ↑ ♿
D	E11056 01TVGLD	3 x 9W PCB LED 3000K (Inte.)	53.75"L x 2.5"W x 3"H, 125" OAH		90+	2500	1900	LED DIM ↑

Finish: White Acrylic (01) Travertine (TV) Gold (GLD)






DELPHI

Long spans of fluted concrete panels blend Western classicism with modern technology. Scalloped concrete is finished in a Chalky White finish and suitable for damp locations. Choose from stem hung pendants or backlit wall panels that provide ambient lighting and bring tranquility to spaces.




DELPHI

- Concrete construction
- Chalky White finish
- LED Integrated, 5CCT Select: 27-30-35-40-50K
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming
- Suitable for Damp Locations



E25178-CHK
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
				CRI	INIT.	DEL.		
A	E25178	CHK	36W PCB LED 3000-5000K (Inte.)	61.25"L x 2.5"W x 3.5"H, 48"OAH	90+	2000	1900	


Finish: Chalky White (CHK)

DELPHI


- Concrete construction
- Chalky White finish
- LED Integrated, 5CCT Select: 27-30-35-40-50K
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming
- Suitable for Damp Locations



E25176-CHK
Pendant



E25179-SSN
Table Lamp



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
					CRI	INIT. DEL.	
A	E25176	CHK	27W PCB LED 3000-5000K (Inte.)	47.25"L x 2.5"W x 3.5"H, 48"OAH	90+	1600 1500	LED CCT Select
B	E25179	SSN	10W PCB LED 3000K (Inte.)	9.5"L x 9.5"W x 13.75"H	90+	900 800	LED CCT Select


Finish: Chalky White (CHK) Sandstone (SSN)






E25171-CHK
Wall Mount

C





E25172-CHK
Wall Mount

D



E25173-CHK
Wall Mount

E



E25174-CHK
Wall Mount

F



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information	
						INIT.	DEL.		
C	E25171	CHK	6W PCB LED 3000-5000K (Inte.)	8.75"W x 6.25"H x 1.75"Ext.	3"	90+	500	480	
D	E25172	CHK	24W PCB LED 3000-5000K (Inte.)	23.75"W x 6.25"H x 1.75"Ext.	3"	90+	2100	2000	
E	E25173	CHK	24W PCB LED 3000-5000K (Inte.)	30"W x 6.25"H x 1.75"Ext.	3"	90+	2300	2200	
F	E25174	CHK	24W PCB LED 3000-5000K (Inte.)	47.5"W x 6.25"H x 1.75"Ext.	3"	90+	2100	2000	

Finish: Chalky White (CHK)



SERPENTINE

Spiraling sinews of LED tape light swirl in a snake like formation. Black aluminum channels are illuminated by strips of LED tape evenly diffused across a silicone lens. These sleek, modern designs, which come in two pendant sizes and a semi-flush mount, are sure to make a statement.




SERPENTINE

- LED Integrated, Neutral 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V




E30668-BK
Linear Pendant

A



E30666-BK
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E30668	BK	78W PCB LED 3000K (Inte.)	56.5"L x 16.25"W x 15.75"H, 61.5" OAH	90+	6240	4640	LED DIM ↑
B	E30666	BK	80W PCB LED 3000K (Inte.)	59.75"L x 13.75"W x 6.25"H, 127" OAH	90+	6400	5500	LED DIM ↑


Finish: Black (BK)

SERPENTINE

- LED Integrated, Neutral 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V




E30667-BK
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
				CRI	INIT.	DEL.		
A	E30667	BK	80W PCB LED 3000K (Inte.)	21.25"L x 21.25"W x 59"H, 152.25"OAH	90+	6400	5500	  

Finish: Black (BK)





E30660-BK
Semi-Flush Mount

B



E30664-BK
Pendant

D



E30662-BK
Pendant

C



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
B	E30660 BK	39W PCB LED 3000K (Inte.)	32.25"L x 13"W x 19"H	90+	3120	2930	LED DIM DALI
C	E30662 BK	39W PCB LED 3000K (Inte.)	32.25"L x 13"W x 17.25"H, 64" OAH	90+	3120	2930	LED DIM DALI
D	E30664 BK	39W PCB LED 3000K (Inte.)	25"L x 24.75"W x 15.5"H, 62" OAH	90+	3120	2930	LED DIM DALI

Finish: Black (BK)



LOOM


Cross-threaded strands of cotton are strung through two Matte Black illuminated rings of LED. The black cotton thread creates a form both structural and airy in composition. These pendants perfectly capture the art of weaving techniques by producing a large truncated cone of with the use of minimal material.



- Black cotton threads
- LED Integrated, Neutral 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V




E20980-BK
Flush Mount




E20982-BK
Pendant

B



E20983-BK
Pendant

C



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
				CRI	INIT.	DEL.		
A	E20980	BK	2 x 21W LED PCB 3000K (Inte.)	22.75" L x 22.75" W x 15.75" H	90+	3360	1980	
B	E20982	BK	2 x 21W LED PCB 3000K (Inte.)	18.75" L x 18.75" W x 15" H, 136.5" OAH	90+	3360	1980	
C	E20983	BK	2 x 30W LED PCB 3000K (Inte.)	31.5" L x 31.5" W x 18.75" H, 140" OAH	90+	4800	3280	

Finish: Black (BK)



BELT


An articulating LED linear pendant finished in Matte Black that can extend or shorten according to the length required for various applications. Expand the lighting surface by pulling the panels at opposite ends away from each other. As the light source wraps around the edge of the panels, it casts light both upward and downward along its shape. Perfect for multipurpose areas, above a kitchen island or dining table, it is ideal when measurements fall between sizes or require flexibility, allowing you to precisely customize the pendant's width to the required measurements.

BELT

- Matte Black finish
- Adjustable length from 42"-60"
- LED Integrated, Neutral 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V




• Adjustable length that can slide longer up to 60"



E22954-BK
Linear Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E22954	BK	2 x 20W LED PCB 3000K (Inte.)	60"L x 2.5"W x 2.75"H, 48.25"OAH	90+	3200	2800	

Finish: Black (BK)



PLANETARY

In a galaxy of light, ribbed and tinted glass is supported by swooping arcs of circular tubes. The Gold frame supports glass globe shades colored in Amber and Smoke tints that encase LED lamps provided. The single pendant has an over-sized spiraling glass shade in either Amber or Smoke, with a dome of light within and Matte Black components. Two configurations of wall sconces pair perfectly with the collection.




PLANETARY

- Finished in a Gold powder coat
- Combination of Smoke Grey and Amber Ribbed Glass
- LED G9 Lamps included



E24187-148GLD
Linear Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24187	148GLD	8 x 3W G9 LED 3000K (Incl.)	43.5"L x 11"W x 11.25"H, 133"OAH	90+	2400	2080	LED DIM ↑

Finish: Multi-Color glass (148) Gold (GLD)



PLANETARY

- Finished in a Gold powder coat
- Combination of Smoke Grey and Amber Ribbed Glass
- LED G9 Lamps included





E24185-148GLD
Chandelier

A



E24188-148GLD
Chandelier

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24185	148GLD	5 x 3W G9 LED 3000K (Incl.)	23.25"L x 23.25"W x 11.25"H, 129.25"OAH	90+	1500	1000	
B	E24188	148GLD	8 x 3W G9 LED 3000K (Incl.)	33.75"L x 33.75"W x 12.75"H, 130"OAH	90+	2400	1600	


Finish: Multi-Color glass (148) Gold (GLD)







E24182-148GLD
Wall Mount

C




E24189-05BK, -138BK
Pendant

E



E24181-138GLD
Wall Mount

D



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information	
						INIT.	DEL.		
C	E24182	148GLD	2 x 3W G9 LED 3000K (Incl.)	11.5"W x 10.5"H x 10"Ext.	3.5"	90+	600	400	
D	E24181	138GLD	1 x 3W G9 LED 3000K (Incl.)	6.25"W x 9.5"H x 7.25"Ext.	3"	90+	300	260	
E	E24189	05BK, 138BK	1 x 11W PCB LED 3000K (Inte.)	9.75"L x 9.75"W x 10.5"H, 132"OAH		90+	800	720	

Finish Options: Amber glass (05) Smoke glass (138) Multi-Color glass (148) Black (BK) Gold (GLD)



JOIST

Horizontal Spans of natural wood frame an evenly diffused LED omnidirectional light source. Choose from genuine Walnut with Black or Natural Aged Brass accents or solid oak in a hand-applied Driftwood finish. Whether surface mounted or suspended as a pendant, this collection provides a natural touch to an otherwise modern, minimalist design.




JOIST

- Solid Wood Construction
- Solid North American Walnut or Oak wood in a Driftwood finish
- Matte White Acrylic diffuser
- LED Integrated, Neutral 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming




E24932-DWCHL, -WNAB, -WNBK
Pendant

A




E24930-DWCHL, -WNAB, -WNBK
Wall Mount

B



E24938-DWCHL, -WNAB, -WNBK
Wall Mount

C




ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
						INIT.	DEL.	
A	DWCHL, WNAB, WNBK	28W PCB LED 3000K (Inte.)	45.25"L x 2"W x 4"H, 125.5" OAH		90+	2240	1680	LED, DIM, DALI
B	DWCHL, WNAB, WNBK	13W PCB LED 3000K (Inte.)	21.75"W x 4.75"H x 2" Ext.	2.25"	90+	1040	780	LED, DIM, DALI
C	DWCHL, WNAB, WNBK	30W PCB LED 3000K (Inte.)	45.25"W x 4.75"H x 2" Ext.	2.25"	90+	2400	1800	LED, DIM, DALI

Finish Options: Driftwood/Charcoal (DWCHL) Walnut/Antique Brass (WNAB) Walnut/Black (WNBK)



E25186-OY
Pendant

A



MOERAKI

Inspired by the rocky shores of New Zealand's South Island, boulder-like organic forms made of polyurethane are light weight and yet voluminous masses. With a shimmering salt-like texture, the pendants are finished in an off-white Oyster finish. Choose from pendant and flush mount configurations.




MOERAKI

- Polyurethane construction
- Textured Oyster finish
- White LED G25 lamp included
- Damp location Rated





E25180-OY
Wall Mount

B





E25181-OY
Wall Mount

C




E25182-OY
Pendant
















D



E25184-OY
Pendant

E



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
				CRI	INIT.	DEL.		
A	E25186	OY	1 x 6W MB LED 3000K (Incl.)	23.75"L x 19"W x 14"H, 137"OAH	90+	500	400	  
B	E25180	OY	1 x 6W MB LED 3000K (Incl.)	15.75"L x 12.5"W x 8.25"H	90+	500	400	  
C	E25181	OY	1 x 6W MB LED 3000K (Incl.)	19.75"L x 15.75"W x 10"H	90+	500	400	  
D	E25182	OY	1 x 6W MB LED 3000K (Incl.)	15.75"L x 12.5"W x 9"H, 132"OAH	90+	500	400	  
E	E25184	OY	1 x 6W MB LED 3000K (Incl.)	19.75"L x 15.75"W x 11.75"H, 134.75"OAH	90+	500	400	  

Finish: Textured Oyster (OY)



LUNA

Concrete pendant lights feature an uneven surface with scattered craters on a rough Chalky White finish. A big bowl-shaped cavity on the celestial-like objects contains a lamp socket that is recessed into the mold. Damp rated for wider applications including covered outdoor spaces, the pendants include an LED globe lamp that completes the design.



LUNA

- Concrete construction in Chalky White finish
- White LED G25 lamp included
- cETLus for Damp locations




E25214-CHK
Pendant

A



E25212-CHK
Pendant

B



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E25214	CHK	1 x 6W MB LED 3000K (Incl.)	8.25"L x 8.25"W x 18"H, 64" OAH	90+	500	400	
B E25212	CHK	1 x 6W MB LED 3000K (Incl.)	9.5"L x 9.5"W x 12.5"H, 58.5" OAH	90+	500	400	

Finish: Chalky White (CHK)





PUFF

Softly rounding forms are constructed of outdoor-rated concrete molds. Finished in Chalky White, these sconces are both playful and sophisticated. A diagonal reveal along the fixture's body emits light while also casting light above and below the fixture.




PUFF



E14390-CHK
Outdoor Wall

A




- Solid Concrete shade
- Chalky White finish
- Outdoor Rated LED light source, 3000K
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming




E14392-CHK
Outdoor Wall

B




E14394-CHK
Outdoor Wall

C



E14396-CHK
Outdoor Wall

D



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information	
						INIT.	DEL.		
A	E14390	CHK	12W PCB LED 3000K (Inte.)	6"W x 8"H x 4"Ext.	4"	90+	840	400	
B	E14392	CHK	18W PCB LED 3000K (Inte.)	6"W x 12"H x 4"Ext.	6"	90+	1260	600	
C	E14394	CHK	24W PCB LED 3000K (Inte.)	6"W x 16"H x 4"Ext.	8"	90+	1680	800	
D	E14396	CHK	27W PCB LED 3000K (Inte.)	6"W x 22"H x 4"Ext.	11"	90+	2400	2200	

Finish: Chalky White (CHK)





PILAR

This outdoor collection is cast in concrete for maximum durability in harsh climates such as coastal environments. Available in your choice of a lighter Sandstone or darker Greystone Aggregate, both are powered by dual integrated LED boards for efficient and long-life operation.




PILAR

- Solid Concrete shade
- Sandstone or Greystone Aggregate
- JAB LED Lamps included




E14370-GSN, -SSN
Outdoor Flush Mount




E14373-GSN, -SSN
Outdoor Wall

B



E14374-GSN, -SSN
Outdoor Wall

C



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E14370 : GSN, SSN	1 x 7W MB LED 3000K (Incl.)	4.5" W x 7" H	90+	700	600		
B	E14373 : GSN, SSN	2 x 7W MB LED 3000K (Incl.)	5" W x 13" H x 4" Ext.	6.5"	90+	1400	1200	
C	E14374 : GSN, SSN	2 x 7W MB LED 3000K (Incl.)	5" W x 13" H x 4" Ext.	6.5"	90+	1400	1200	

Finish Options: Greystone (GSN) Sandstone (SSN)





BRASILIA

Inspired by the architecture of grand civic pavilions, the 304 grade stainless steel cages feature beveled arches that incorporate LED light sources along their frame. Finished in Matte Black, the simple yet distinctive geometry of the lanterns provide a transitional look that pairs well with both modern and transitional aesthetics.


BRASILIA

- 304 Grade Stainless Steel Construction
- Matte Black finish with reflective matte black stainless steel backplate
- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming
- Suitable for use in Wet Locations




E30271-BK
Outdoor Wall

A




E30273-BK
Outdoor Wall

B



E30275-BK
Outdoor Wall


C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E30271	BK	8W PCB LED 3000K (Inte.)	6.5"W x 12"H x 2.5"Ext.	6"	80+	600	360	LED, DALI, WTI, WTL
B	E30273	BK	9W PCB LED 3000K (Inte.)	7"W x 14.5"H x 4.75"Ext.	7.25"	80+	680	410	LED, DALI, WTI, WTL
C	E30275	BK	12W PCB LED 3000K (Inte.)	8"W x 18"H x 5.5"Ext.	9"	80+	900	540	LED, DALI, WTI, WTL



Finish: Black (BK)





INTERLACE

An Antique Copper grid constructed of 304 Grade Stainless Steel is framed along an integrated LED light source. The woven pattern of this grill is both elegant and adds an elegant element to the minimal design. Backlit along its sides the LED light highlights the pattern formed accentuating the design's most exemplary feature.




INTERLACE

- Woven 304 Grade Stainless Steel in Antique Copper
- Matte Black frame
- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming
- Suitable for use in Wet Locations




E30294-ACPBK
Outdoor Wall

A




E30292-ACPBK
Outdoor Wall

B



E30290-ACPBK
Outdoor Wall

C



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information	
						INIT.	DEL.		
A	E30294	ACPBK	2 x 26W PCB LED 3000K (Inte.)	6.5"W x 60"H x 2.75"Ext.	30"	90+	4160	2400	
B	E30292	ACPBK	2 x 11W PCB LED 3000K (Inte.)	6.5"W x 24"H x 2.75"Ext.	12"	90+	1540	990	
C	E30290	ACPBK	1 x 7W PCB LED 3000K (Inte.)	6.5"W x 6.5"H x 2.5"Ext.	3.25"	90+	560	340	


Finish: Antique Copper (ACP) Black (BK)





CANELLO

A tube of evenly diffused LED light in matte White acrylic. The body is made of heavy duty extruded aluminum finished in Matte Black. Ideal for use in both residential and commercial settings, both indoors and out. With large scale options, these sconces are all ADA compliant.




CANELLO

- White UV-stabilized acrylic diffuser
- Matte Black finish
- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- Suitable for use in Wet Locations




E30094-01BK
Outdoor Wall

A




E30093-01BK
Outdoor Wall

B



E30092-01BK
Outdoor Wall

C



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
						INIT.	DEL.	
A	E30094 01BK	40W PCB LED 3000K (Inte.)	4.5"W x 48"H x 4"Ext.	24"	90+	3200	3140	
B	E30093 01BK	20W PCB LED 3000K (Inte.)	4.5"W x 30"H x 4"Ext.	15"	90+	1600	1460	
C	E30092 01BK	14W PCB LED 3000K (Inte.)	4.5"W x 24.5"H x 4"Ext.	12.25"	90+	1120	1090	

Finish: White Acrylic (01) Black (BK)





STEPPEES

A slim profile extends from the wall with sharply angled facets. Available in various sizes and your choice of Matte Black or Antique Bronze finish, its scale allows it to function both as a step light and as a subtle LED outdoor wall sconce. Concealed within the top housing is an integrated LED light that casts light downward on a series of ridges capturing various intensities of light.




STAPPES

- Matte Black or Antique Bronze finish
- Stepped striation pattern along the frame
- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming
- Suitable for use in Wet Locations




E41552-ANB, -BK
Outdoor Wall

A



E41554-ANB, -BK
Outdoor Wall

B




ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information	
						INIT.	DEL.		
A	E41552	ANB, BK	10W PCB LED 3000K (Inte.)	4.75"W x 4.75"H x 1"Ext.	2.25"	90+	1000	450	
B	E41554	ANB, BK	10W PCB LED 3000K (Inte.)	4.75"W x 6.75"H x 1"Ext.	2.25"	90+	1000	450	

Finish options: Antique Bronze (ANB) Black (BK)




BRIK

Square aluminum blocks that are not only attractive but offer robust features. As a low profile LED up and down wall sconce, they provide ample illumination that complies with ADA regulations. Fitted with a 120-277V range voltage input driver, these sconces can be used in interior and exterior spaces whether residential or commercial applications call for them. Available in a variety of sizes including smaller square forms and oversized rectangular profiles, you can also select from three color options: Natural Aged Brass, Black, and White.






E23212-BK, -NAB, -WT
Interior/Exterior Wall



- Machined Aluminum construction
- ADA compliant
- Available in Black, White, and Natural Aged Brass
- Wet location rated
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac or ELV dimmers
- Squared edge profiles




MSP Optional
(Motion Sensor
Photocell)


E23214-BK/MSP, -WT/MSP
E23214-BK, -NAB, -WT
Interior/Exterior Wall




Without MSP



E23215-BK, -NAB, -WT
Interior/Exterior Wall



E23211-BK, -NAB, -WT
Interior/Exterior Wall



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information	
A	E23211	BK, NAB, WT	2 x 14W PCB LED 3000K (Inte.)	11.75"W x 7"H x 1.5"Ext.	3.5"	90+	2800	1750	LED, DALI, 0-10V, 0-10V, ADA, UL, ETL
B	E23212	BK, NAB, WT	2 x 6W PCB LED 3000K (Inte.)	4.75"W x 4.75"H x 1.5"Ext.	2.25"	90+	1200	1100	LED, DALI, 0-10V, 0-10V, ADA, UL, ETL
C	E23214/MSP	BK, WT	2 x 7W PCB LED 3000K (Inte.)	6.25"W x 6.25"H x 2"Ext.	3.25"	90+	1400	1200	LED, DALI, 0-10V, 0-10V, ADA, UL, ETL With MSP
C	E23214	BK, NAB, WT	2 x 7W PCB LED 3000K (Inte.)	6.25"W x 6.25"H x 1.5"Ext.	3.25"	90+	1400	1200	LED, DALI, 0-10V, 0-10V, ADA, UL, ETL
D	E23215	BK, NAB, WT	2 x 12W PCB LED 3000K (Inte.)	7"W x 14"H x 1.5"Ext.	7"	90+	2400	1490	LED, DALI, 0-10V, 0-10V, ADA, UL, ETL

Finish options: Black (BK) Natural Aged Brass (NAB) White (WT)





SPARTAN

The rounded ends soften the overall appearance of these sconces. Hardworking features provide ample illumination built within the sconce's low profile that complies with ADA regulations. Its LED light source shines up and down and includes a 120-277V range voltage input driver. Great for applications both interior or exterior, this collection can be used in residential or commercial applications as well. Available in Natural Aged Brass, Black, and Architectural.




SPARTAN

- Rounded edge profiles
- Available in Natural Aged Brass, Black, and White
- Range voltage 120-277V input, LED Integrated
- Neutral 3000K Color Temperature




E23233-NAB
Wall Mount

A




E23234-ABZ, -BK
Interior/Exterior Wall

B




E23235-NAB
Wall Mount

C



E23236-ABZ, -BK
Interior/Exterior Wall


D



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information	
						INIT.	DEL.		
A	E23233	NAB	2 x 6W PCB LED 3000K (Inte.)	6"W x 4.75"H x 1.5"Ext.	2.25"	90+	1200	1000	LED, DALI, 3000K, ♿
B	E23234	ABZ, BK	2 x 6W PCB LED 3000K (Inte.)	6"W x 4.75"H x 1.5"Ext.	2.25"	90+	1200	1000	LED, DALI, 3000K, WET, ♿
C	E23235	NAB	2 x 7W PCB LED 3000K (Inte.)	7.75"W x 6.25"H x 1.5"Ext.	3.25"	90+	1400	1200	LED, DALI, 3000K, ♿
D	E23236	ABZ, BK	2 x 7W PCB LED 3000K (Inte.)	7.75"W x 6.25"H x 1.5"Ext.	3.25"	90+	1400	1200	LED, DALI, 3000K, WET, ♿


Finish Options: Architectural (ABZ) Natural Aged Brass (NAB) Black (BK)

ALUMILUX



E41501-ABZ, -BK, -SA
Interior/Exterior Wall

A



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	INIT. DEL.	Additional Information
A	E41501 ABZ, BK, SA	14W LED 3000K (Inte.)	6.75" W x 6.75" H x 1.25" Ext.	3.25"	90+	1400	880	


Finish options: Architectural Bronze (ABZ) Black (BK) Satin Aluminum (SA)






E41331-BK, -WT
Interior/Exterior Wall

B




E41332-BK, -WT
Interior/Exterior Wall

C




E41388-BK, -WT
Interior/Exterior Wall

D




ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	INIT. DEL.	Additional Information	
B	E41331	BK, WT	8W LED 3000K (Inte.)	3"W x 5.25"H x 2.75" Ext.	2.25"	90+	700	360	
C	E41332	BK, WT	15W LED 3000K (Inte.)	5"W x 7"H x 2.75" Ext.	3.5"	90+	1400	680	
D	E41388	BK, WT	14W LED 3000K (Inte.)	6.75"W x 6.75"H x 1.25" Ext.	3.5"	90+	1400	880	

Finish options: Black (BK) White (WT)



E41350-BK, -BZ, -SA
Pathway Light

A




ALUMILUX

Low voltage garden lights consisting of classic shaped shades to brighten your outdoor space. Choose from various lighting elements that pair with matching poles. In-ground stakes or bolt down installation mounting options are provided with a 16-inch pole. Extension rods in 8-inch increments sold separately.



E41351-BK, -BZ, -SA
Pathway Light

B




LANDSCAPE



- LED Integrated, 3000K Color Temperature
- 12-24V Low Voltage Input
- Outdoor Landscape Transformer required (not included)




E41352-BK
Pathway Light




E41353-BK
Pathway Light



E41354-BK
Pathway Light



E41355-BK
Pathway Light




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E41350	BK, BZ, SA	5W MR16 LED 3000K (Incl.)	3.5"W x 14"H	80+	490	360	12V
B	E41351	BK, BZ, SA	5W PCB LED 3000K (Inte.)	2.25"W x 8.5"H	90+	500	400	12V
C	E41352	BK	5W MR16 LED 3000K (Incl.)	2.25"W x 11.5"H	80+	490	360	12V
D	E41353	BK	7W GU10 LED 3000K (Incl.)	2.25"W x 11.5"H	90+	600	450	120V
E	E41354	BK	5W PCB LED 3000K (Inte.)	2.75"W x 8.25"H	90+	500	410	12V
F	E41355	BK	8W PCB LED 3000K (Inte.)	3.75"W x 8.25"H	90+	560	400	12V


Finish Options: Black (BK) Bronze (BZ) Satin Aluminum (SA)

LANDSCAPE


- LED Integrated, 3000K Color Temperature
- 12-24V Low Voltage Input
- Outdoor Landscape Transformer required (not included)



E41450-BK (with 16" Pole)
E41450-BK-24 (with 24" Pole)
 Pathway Light



E41451-BK (with 16" Pole)
E41451-BK-24 (with 24" Pole)
 Pathway Light



EPOL8-BK
 8" Pole

EPOL16-BK
 16" Pole



ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	DEL.	Additional Information	
A	E41450	BK	12W PCB LED 3000K (Inte.)	6"W x 17.25"H	90+	980	710	With 16" pole, 12V
A	E41450-24	BK	12W PCB LED 3000K (Inte.)	6"W x 25"H	90+	980	710	With 24" pole, 12V
B	E41451	BK	7W PCB LED 3000K (Inte.)	8"W x 21.75"H	90+	490	290	With 16" pole, 12V
B	E41451-24	BK	7W PCB LED 3000K (Inte.)	8"W x 29.75"H	90+	490	290	With 24" pole, 12V

Finish: Black (BK)




E41452-61BK (with 16" Pole)
E41452-61BK-24 (with 24" Pole)
 Pathway Light

C




E41453-BK (with 16" Pole)
E41453-BK-24 (with 24" Pole)
 Pathway Light

D



E41455-10BK (with 16" Pole)
E41455-10BK-24 (with 24" Pole)
 Pathway Light

E



ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	DEL.	Additional Information
C	E41452	61BK 7W PCB LED 3000K (Inte.)	6"W x 23.75"H	90+	490	440	With 16" pole, 12V
C	E41452-24	61BK 7W PCB LED 3000K (Inte.)	6"W x 31.5"H	90+	490	440	With 24" pole, 12V
D	E41453	BK 7W PCB LED 3000K (Inte.)	8"W x 21.25"H	90+	490	260	With 16" pole, 12V
D	E41453-24	BK 7W PCB LED 3000K (Inte.)	8"W x 29"H	90+	490	260	With 24" pole, 12V
E	E41455	10BK 12W PCB LED 3000K (Inte.)	6"W x 20.75"H	90+	840	690	With 16" pole, 12V
E	E41455-24	10BK 12W PCB LED 3000K (Inte.)	6"W x 28.75"H	90+	840	690	With 24" pole, 12V


Finish: Clear/White glass (10) White Acrylic (61) Black (BK)

BEVEL LED MIRRORS

White Acrylic diffusers are miter cut and beveled along the edge of these mirror frames allowing for wider, and brighter lighting. Robust in size, these mirrors are feature excellent construction and 5CCT light selection using a discreet touch switch on the frames edge. Hardwire the mirrors to a dimmer switch to control the brightness and the memory function on the LED will recall the chosen color temperature of the previous setting.



E42062-BBK, -SN
Mirror
A



BEVEL


- Miter cut beveled edge acrylic
- Available in Brushed Black or Satin Nickel
- Discreet touch dimmable switch on frame
- 2 CCT Select: 3000-4000K
- Plug-in or Direct Wire
- CRI 90+



E42061-BBK, -SN
Mirror


B

discreet switch
on frame




E42063-BBK, -SN
Mirror

C



E42064-BBK, -SN
Mirror

D



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
				CRI	INIT. DEL.	
A	E42062 BBK, SN	53W PCB LED 3000-4000K (Inte.)	30"W x 36"H x 2.25" Ext.	90+	5300 1800	LED, DIM, CLEAR, CCT, +, ♿, CCT
B	E42061 BBK, SN	40W PCB LED 3000-4000K (Inte.)	24"W x 30"H x 2.25" Ext.	90+	4000 1400	LED, DIM, CLEAR, CCT, +, ♿, CCT
C	E42063 BBK, SN	58W PCB LED 3000-4000K (Inte.)	48"W x 30"H x 2.25" Ext.	90+	5800 2030	LED, DIM, CLEAR, CCT, +, ♿, CCT
D	E42064 BBK, SN	66W PCB LED 3000-4000K (Inte.)	60"W x 28"H x 2.25" Ext.	90+	6600 2300	LED, DIM, CLEAR, CCT, +, ♿, CCT

Finish Options: Brushed Black (BBK) Satin Nickel (SN)





ELISSE LED MIRRORS

Elipses of Arches and Ovals are finishes in your choice of Black or Gold. The mirrors feature discreet LED channels along their frame. Whereas white acrylic diffusers pair with Gold frame, the Black mirrors are even less conspicuous featuring a black diffuser along the mirror edge appearing as if there is no light source when turned off.




ELISSE

- Black mirror features black acrylic diffuser
- Available in Black or Gold
- Discreet touch dimmable switch on frame
- LED 3000K Color Temperature
- Plug-in or Direct Wire
- CRI 90+




E42070-BK, -GLD
Mirror

A




E42071-BK, -GLD
Mirror

B



E42072-BK
Mirror

C



black diffuser
on black frame

ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information	
				CRI	DEL.		
A	E42070 BK, GLD	36W PCB LED 3000K (Inte.)	24"W x 30"H x 1.75"Ext.	90+	3900	780	
B	E42071 BK, GLD	36W PCB LED 3000K (Inte.)	20"W x 32"H x 1.75"Ext.	90+	4300	860	
C	E42072 BK	60W PCB LED 3000K (Inte.)	68"W x 28"H x 1.75"Ext.	90+	5400	1080	


Finish Options: Black (BK) Gold (GLD)






HANDLER

Excellently crafted mini spotlights are ideal for highlighting spaces and providing ambient, articulating light. A knurled section of aluminum tubing meets a larger smooth surfaced aluminum housing. Recessed within this housing is a high powered, low voltage LED light source. Either wire multiple in series or individually to various accessories not provided.



HANDLER




Dimmable Driver & Switch
ESWT25-2460WT 60W
ESWT25-2475WT 75W
 2.25" L x 2" D x 4.25" H


- LED Integrated, 2700K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming
- Low Voltage 24V Spot Lights, E21620 LED driver REQ, not included



E21620-GM, -NAB
 Spot Light (driver not included)



E21720-BK, -GM
 Spot Light (driver included)



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E21620	GM, NAB	5W PCB LED 2700K (Inte.)	2" W x 5.75" H x 3.5" Ext.	3.5"	90+	300	200	LED DIM DALI WET
B	E21720	BK, GM	5W PCB LED 2700K (Inte.)	5" W x 5.75" H x 3.5" Ext.	3.5"	90+	300	200	LED DIM DALI WET

Finish Options: Gunmetal (GM) Black (BK) Natural Aged Brass (NAB)

ETL31003-WTBK
Pendant



ETL31006-WTBK
Pendant



CONTINUUM TRACK

The next generation of track lighting is here with the ultra-slim Continuum series from ET2. Field adjustable track lengths can be extended, connected, or cut to fit the space they are installed. On them, a variety of low voltage light sources can be quickly snapped into place adding and directing light exactly where desired. Various power feed options are available including recessed, on-track, or integrated dimmable driver and switch. Available in Matte Black or Matte White, the track lengths can even be painted to match the exact paint color of the surfaces they are installed. This adaptable track system makes it simple to design the lighting in your space according to your vision and is only limited to your imagination.


CONTINUUM TRACK



Cover Plate
ETMSC03-BK, -WT
5"L x 5"W x .25"H




Cover Plate
ETMSC02-BK, -WT
5"L x 5"W x .25"H




ETL31622-BK, -NAB, -WT
Pendant

C





ETL31022-BK, -NAB, -WT
Pendant

D



ETL31013-WT, -WTNAB
Pendant

E



ETL31251-BK, -NAB, -WT
Pendant

F

ITEM #	FINISH	LAMPING	DIMENSION	LUMENS CRI INIT. DEL.	Additional Information	
A	ETL31003	WTBK	12W PCB LED 3000K (Inte.)	39.25"L x 1.25"W	90+ 600 600	
B	ETL31006	WTBK	20W PCB LED 3000K (Inte.)	78.5"L x 1.25"W	90+ 1000 1000	
C	ETL31622	BK, NAB, WT	5W PCB LED 3000K (Inte.)	2"L x 2"W x 10"H, 69"OAH	90+ 450 350	
D	ETL31022	BK, NAB, WT	5W PCB LED 3000K (Inte.)	2"L x 2"W x 10"H, 69"OAH	90+ 450 350	
E	ETL31013	WT, WTNAB	5W PCB LED 3000K (Inte.)	4.75"L x 4.75"W x 4.75"H, 63.75"OAH	90+ 450 350	
F	ETL31251	BK, NAB, WT	5W PCB LED 3000K (Inte.)	2"L x 2"W x 2.25"H, 61.25"OAH	90+ 450 350	

Finish Options: Black (BK) Natural Aged Brass (NAB) White (WT)

LETCAT2406-I



A MAXIM GROUP COMPANY

#ET2lighting

253 North Vineland Avenue
City of Industry, California
91746
USA

General Info: 626.956.4200
Customer Service: 800.486.2946
General Fax: 626.956.4226
Dallas Showroom: 3901
Email: Webinfo@et2online.com
ET2 Web Address: www.et2online.com



ET2 Contemporary Lighting and all designs,
logos and images © 2024 ET2 Contemporary
Lighting. All Rights Reserved.